




UNILATERAL BIPORTAL ENDOSCOPY



UNILATERAL
BIPORTAL
ENDOSCOPY



ABOUT US



SINCE 20 YEARS



EXPORT IN
+70 COUNTRIES



MADE IN
GERMANY



+ 10.000
PRODUCTS



LOCATED IN THE
WORLD CENTER
FOR MEDICAL
TECHNOLOGY

CERTIFICATED

STEMA Medizintechnik GmbH is certified in accordance with the highest standards:

- DIN EN ISO 13485:2016 + AC:2016
- EU 2017/745 (**MDR**)
- Council Directive 93/42/EEC Annex II excluding Section 4
- Council Directive 93/42/EEC Annex V excluding Section 3
- FDA

These standards create an essential base for our company and our partners. They also symbolize the commitment and strive to keep up the quality of our products.



PRODUCT RANGE

The current product range of STEMA Medizintechnik GmbH includes more than 10.000 different items.

We cover the following areas in surgery with high quality products:

ARTHROSCOPY

CARDIAC MIS

CONTAINER-SYSTEMS

ENT

GASTROENTEROLOGY

GYNAECOLOGY

HF-SURGERY

LAMINECTOMY

LAPAROSCOPY

MICRO MOTOR SYSTEMS

PROCTOSCOPY

SPINE-SURGERY

TITANIUM PLATING SYSTEM

UNITS

UROLOGY



CONTENT

MINIMALLY INVASIVE SPINE SURGERY

PRODUCT	PAGE
1. ENDOSCOPES & SHEATH SYSTEM	
1.1 HD Endoscopes	7
1.2 Sheath System	9
2. VARIOUS INSTRUMENTS	
2.1 Various Instruments	15
Dilatators	17
Working Sleeves	18
Nerve Root Retractors	19
Probes, Chisels	20
Arrowheads & Curettes	21
Metal Hammer	22
Muscle Dilator	22
Elevator	23
Protection Sleeves	23
3. FORCEPS	
3.1 Advanced Forceps with Luer Lock	26
4. RONGEURS	
4.1 FERRIS SMITH KERRISON Rongeurs 40°	29
4.2 FERRIS SMITH KERRISON Rongeurs 90°	41
4.3 KERRISON Rongeurs 40° 90°	53
4.4 KERRISON Rongeurs Black Coated 40° 90°	54
5. INDEX	
5.1 Index	57

1. ENDOSCOPES & SHEATH SYSTEM

1.1 | HD ENDOSCOPES

0° ENDOSCOPES
30° ENDOSCOPES

1.2 | SHEATH SYSTEM


SHEATHS
TROCARS
HIGH FLOW SHEATHS
HIGH FLOW TROCARS

1.1 | HD ENDOSCOPES




1.1 | ENDOSCOPES & SHEATH SYSTEM

HD ENDOSCOPES | 0° | 30°




Viewing angle	Endoscope	Diameter	Working length	Ordering no.
 0°	HD Arthroscope autoclavable	Ø 4.0mm	175mm	BA-002-021
	ULTRA HD Arthroscope autoclavable	Ø 4.0mm	175mm	BA-002-041



Viewing angle	Endoscope	Diameter	Working length	Ordering no.
 30°	HD Arthroscope autoclavable	Ø 4.0mm	175mm	BA-002-022
	ULTRA HD Arthroscope autoclavable	Ø 4.0mm	175mm	BA-002-042

1.2 | SHEATH SYSTEM



1.2 |

ENDOSCOPES & SHEATH SYSTEM

SHEATHS



Ordering no.	Description	Diameter	Working length
BB-004-004	Universal arthroscopy sheath with two rotatable stopcocks	Ø 6.0mm	175mm



Ordering no.	Description	Diameter	Working length
BB-004-004-QL	Universal arthroscopy sheath with two rotatable stopcocks, quick lock	Ø 6.0mm	175mm

1.2 | ENDOSCOPES & SHEATH SYSTEM SHEATHS



Ordering no.	Description	Diameter	Working length
BB-004-014	Universal arthroscopy sheath, used for 30° endoscopes with two rotatable stopcocks	Ø 6.0mm	175mm



Ordering no.	Description	Diameter	Working length
BB-004-014-QL	Universal arthroscopy sheath, used for 30° endoscopes with two rotatable stopcocks, quick lock	Ø 6.0mm	175mm

1.2 | ENDOSCOPES & SHEATH SYSTEM

TROCARS



Ordering no.	Description	Diameter	Working length
BB-005-004	Trocar pyramidal	Ø 4.2mm	175mm



Ordering no.	Description	Diameter	Working length
BB-005-014	Trocar conical	Ø 4.2mm	175mm



Ordering no.	Description	Diameter	Working length
BB-005-024	Trocar blunt	Ø 4.2mm	175mm

1.2 | ENDOSCOPES & SHEATH SYSTEM

HIGH FLOW SHEATHS



Ordering no.	Description	Diameter	Working length
BB-004-008	High flow universal arthroscopy sheath with two rotatable stopcocks	Ø 6.5mm	175mm



Ordering no.	Description	Diameter	Working length
BB-004-008-QL	High flow universal arthroscopy sheath with two rotatable stopcocks, quick lock	Ø 6.5mm	175mm

1.2 | ENDOSCOPES & SHEATH SYSTEM

HIGH FLOW SHEATHS



Ordering no.	Description	Diameter	Working length
BB-004-017	High flow universal arthroscopy sheath with two rotatable stopcocks	Ø 6.5mm	175mm



Ordering no.	Description	Diameter	Working length
BB-004-017-QL	High flow universal arthroscopy sheath with two rotatable stopcocks, quick lock	Ø 6.5mm	175mm

1.2 | ENDOSCOPES & SHEATH SYSTEM

HIGH FLOW TROCARS



Ordering no.	Description	Diameter	Working length
BB-005-008	High flow trocar pyramidal	Ø 4.2mm	175mm



Ordering no.	Description	Diameter	Working length
BB-005-018	High flow trocar conical	Ø 4.2mm	175mm



Ordering no.	Description	Diameter	Working length
BB-005-028	High flow trocar blunt	Ø 4.2mm	175mm

2. VARIOUS INSTRUMENTS

2.1 | VARIOUS INSTRUMENTS

DILATATORS

WORKING SLEEVES

NERV ROOT RETRACTORS

PROBES & CHISELS

ARROWHEADS & CURETTES

METAL HAMMER

MUSCLE DILATATOR

ELEVATOR

PROTECTION SLEEVE

2. VARIOUS INSTRUMENTS



2.1 | VARIOUS INSTRUMENTS

DILATATORS



	Ordering no.	Description	Inner Diameter	Outer Diameter	Working length
	MH-002-070	Conical dilatator	-	Ø 4.8mm	195mm
	MH-002-071		Ø 5.0mm	Ø 7.0mm	180mm
	MH-002-072		Ø 7.0mm	Ø 9.0mm	165mm
	MH-002-073		Ø 9.0mm	Ø 11.0mm	150mm
	MH-002-074		Ø 11.0mm	Ø 13.0mm	135mm
	MH-002-075		Ø 13.0mm	Ø 15.0mm	120mm

2.1 | VARIOUS INSTRUMENTS

WORKING SLEEVES



Ordering no.	Description	Inner Diameter	Outer Diameter	Working length
MH-001-200	Spine working sleeve	Ø 9.0mm	Ø 12.0mm	50mm
MH-001-201		Ø 9.0mm	Ø 12.0mm	70mm
MH-001-202		Ø 9.0mm	Ø 12.0mm	90mm
MH-001-203		Ø 12.0mm	Ø 15.0mm	50mm
MH-001-204		Ø 12.0mm	Ø 15.0mm	70mm
MH-001-205		Ø 12.0mm	Ø 15.0mm	90mm

2.1 | VARIOUS INSTRUMENTS


NERVE ROOT RETRACTORS



	Ordering no.	Description	Width	Working length
	MD-004-030	Nerve root retractor, edgefold	Ø 4.0mm	115mm
	MD-004-031	Nerve root retractor, edgefold	Ø 8.0mm	115mm
	MD-004-032	Nerve root retractor, edgefold left	Ø 8.0mm	115mm
	MD-004-033	Nerve root retractor, edgefold right	Ø 8.0mm	115mm

2.1 | VARIOUS INSTRUMENTS

PROBES | CHISELS



	Ordering no.	Description	Diameter	Working length
	MD-004-050	Chisel, blunt	Ø 4.0mm	120mm
	MD-004-051	Chisel	Ø 4.0mm	120mm
	MD-004-052	Hook Probe, probe 3.0mm	Ø 3.0mm	150mm
	MD-004-053	Hook probe, probe 3.0mm, curved right	Ø 3.0mm	150mm



	Ordering no.	Description	Diameter	Working length
	MD-004-060	Mighty chisel	Ø 5.0mm	120mm
	MD-004-061	Mighty chisel, curved right	Ø 5.0mm	120mm
	MD-004-062	Mighty chisel, curved left	Ø 5.0mm	120mm
	MD-004-063	Mighty chisel, curved up	Ø 5.0mm	120mm

2.1 | VARIOUS INSTRUMENTS

ARROWHEAD | CURETTES




	Ordering no.	Description	Working length
	MD-004-068	Arrowhead Knife	140mm



	Ordering no.	Description	Diameter	Working length
	MD-004-071	Curette, oval spoon, length 5mm, straight	Ø 3.0mm	120mm
	MD-004-072	Curette, oval spoon, length 7mm, straight	Ø 4.5mm	120mm
	MD-004-073	Curette, oval spoon, length 9mm, straight	Ø 6.0mm	120mm
	MD-004-070	Curette, oval spoon, length 7mm, forward angled	Ø 4.5mm	120mm
	MD-004-074	Curette, oval spoon, length 5mm, forward angled	Ø 3.0mm	120mm
	MD-004-075	Curette, oval spoon, length 9mm, forward angled	Ø 6.0mm	120mm
	MD-004-076	Curette, oval spoon, length 5mm, backward angled	Ø 3.0mm	120mm
	MD-004-077	Curette, oval spoon, length 5mm, boomerang	Ø 3.0mm	120mm

2.1 | VARIOUS INSTRUMENTS

METAL HAMMER | MUSCLE DILATATOR



Ordering no.	Description	Diameter	Working length
MD-010-001	Metal hammer	Ø 30mm	240mm



Ordering no.	Description
MD-004-067	Muscle dilatator, T-shape

2.1 | VARIOUS INSTRUMENTS

ELEVATOR | PROTECTION SLEEVE



Ordering no.	Description
MD-004-065	Double ended elevator, 5° and 15°
MD-004-066	Double ended elevator, 25° and 35°



Ordering no.	Description	Inner Diameter	Outer Diameter	Working length
MH-001-220	Protection sleeve	Ø 6.5mm	Ø 8.0mm	95mm

3. FORCEPS

3.1 | FORCEPS & SCISSORS WITH LUER-LOCK




3. FORCEPS



3.1 | FORCEPS

FORCEPS & SCISSORS WITH LUER-LOCK



	Description	Diameter	Working length	Ordering No.
	Biopsy grasping forceps	Ø 2.0mm	150mm	MD-001-200
		Ø 4.0mm	150mm	MD-001-201
		Ø 5.0mm	150mm	MD-001-202
	Micro biopsy grasping forceps	Ø 2.0mm	150mm	MD-001-210
	BLAKESLY biopsy grasping forceps	Ø 4.0mm	150mm	MD-001-215
		Ø 5.0mm	150mm	MD-001-216
	Biopsy grasping forceps, atraumatic	Ø 4.0mm	150mm	MD-001-220
		Ø 5.0mm	150mm	MD-001-221
	Biopsy grasping forceps	Ø 5.0mm	150mm	MD-001-222
	Biopsy grasping forceps, teathed	Ø 5.0mm	150mm	MD-001-223
	Hook scissors punch	Ø 4.0mm	150mm	MD-002-230
		Ø 5.0mm	150mm	MD-002-231

4. RONGEURS

4.1 | FERRIS SMITH KERRISON RONGEURS | 40°

4.2 | FERRIS SMITH KERRISON RONGEURS | 90°

4.3 | KERRISON RONGEURS | 40° | 90°


4.4 | KERRISON RONGEURS BLACK COATED | 40° | 90°

4.1 | FERRIS SMITH KERRISON RONGEURS




4.1 | FERRIS SMITH KERRISON RONGEURS

40° UPWARDS CUTTING



 FERRIS SMITH KERRISON rongeur, 40° upwards cutting	Description	Width of bite	Working length	Ordering No.
		Ø 1.0mm	200mm	MC-002-011
		Ø 2.0mm	200mm	MC-002-012
		Ø 3.0mm	200mm	MC-002-013
		Ø 4.0mm	200mm	MC-002-014
		Ø 5.0mm	200mm	MC-002-015
		Ø 6.0mm	200mm	MC-002-015-1



 FERRIS SMITH KERRISON rongeur, 40° upwards cutting, AlTiN coated	Description	Width of bite	Working length	Ordering No.
		Ø 1.0mm	200mm	MC-002-011-C
		Ø 2.0mm	200mm	MC-002-012-C
		Ø 3.0mm	200mm	MC-002-013-C
		Ø 4.0mm	200mm	MC-002-014-C
		Ø 5.0mm	200mm	MC-002-015-C
		Ø 6.0mm	200mm	MC-002-015-1C

4.1 | FERRIS SMITH KERRISON RONGEURS

40° UPWARDS CUTTING | DETACHABLE



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 40° upwards cutting, detachable	Ø 1.0mm	200mm	MC-002-011-T
		Ø 2.0mm	200mm	MC-002-012-T
		Ø 3.0mm	200mm	MC-002-013-T
		Ø 4.0mm	200mm	MC-002-014-T
		Ø 5.0mm	200mm	MC-002-015-T
		Ø 6.0mm	200mm	MC-002-615-T



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 40° upwards cutting, detachable, AlTiN coated	Ø 1.0mm	200mm	MC-002-011-TC
		Ø 2.0mm	200mm	MC-002-012-TC
		Ø 3.0mm	200mm	MC-002-013-TC
		Ø 4.0mm	200mm	MC-002-014-TC
		Ø 5.0mm	200mm	MC-002-015-TC
		Ø 6.0mm	200mm	MC-002-615-TC

4.1 | FERRIS SMITH KERRISON RONGEURS

40° UPWARDS CUTTING | SLIM



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 40° upwards cutting, slim	Ø 1.0mm	200mm	MC-002-011-S
	Ø 2.0mm	200mm	MC-002-012-S
	Ø 3.0mm	200mm	MC-002-013-S
	Ø 4.0mm	200mm	MC-002-014-S
	Ø 5.0mm	200mm	MC-002-015-S
	Ø 6.0mm	200mm	MC-002-615-S



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 40° upwards cutting, slim, AITiN coated	Ø 1.0mm	200mm	MC-002-011-SC
	Ø 2.0mm	200mm	MC-002-012-SC
	Ø 3.0mm	200mm	MC-002-013-SC
	Ø 4.0mm	200mm	MC-002-014-SC
	Ø 5.0mm	200mm	MC-002-015-SC
	Ø 6.0mm	200mm	MC-002-615-SC

4.1 | FERRIS SMITH KERRISON RONGEURS

40° UPWARDS CUTTING | SLIM | DETACHABLE



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 40° upwards cutting, slim, detachable	Ø 2.0mm	200mm	MC-002-012-TS
	Ø 3.0mm	200mm	MC-002-013-TS
	Ø 4.0mm	200mm	MC-002-014-TS
	Ø 5.0mm	200mm	MC-002-015-TS
	Ø 6.0mm	200mm	MC-002-615-TS




Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 40° upwards cutting, slim, detachable, AITiN coated	Ø 2.0mm	200mm	MC-002-012-TSC
	Ø 3.0mm	200mm	MC-002-013-TSC
	Ø 4.0mm	200mm	MC-002-014-TSC
	Ø 5.0mm	200mm	MC-002-015-TSC
	Ø 6.0mm	200mm	MC-002-615-TSC

4.1 | FERRIS SMITH KERRISON RONGEURS

40° UPWARDS CUTTING | WITH EJECTOR



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 40° upwards cutting, with ejector	Ø 3.0mm	200mm	MC-002-027
		Ø 4.0mm	200mm	MC-002-028
		Ø 5.0mm	200mm	MC-002-029
		Ø 6.0mm	200mm	MC-002-029-0



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 40° upwards cutting, with ejector, AlTiN coated	Ø 3.0mm	200mm	MC-002-027-C
		Ø 4.0mm	200mm	MC-002-028-C
		Ø 5.0mm	200mm	MC-002-029-C
		Ø 6.0mm	200mm	MC-002-029-0C

4.1 | FERRIS SMITH KERRISON RONGEURS

40° UPWARDS CUTTING | WITH EJECTOR | DETACHABLE




Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 40° upwards cutting, with ejector, detachable	Ø 3.0mm	200mm	MC-002-027-T
	Ø 4.0mm	200mm	MC-002-028-T
	Ø 5.0mm	200mm	MC-002-029-T
	Ø 6.0mm	200mm	MC-002-029-OT



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 40° upwards cutting, with ejector, detachable, AlTiN coated	Ø 3.0mm	200mm	MC-002-027-TC
	Ø 4.0mm	200mm	MC-002-028-TC
	Ø 5.0mm	200mm	MC-002-029-TC
	Ø 6.0mm	200mm	MC-002-029-OTC

4.1 | FERRIS SMITH KERRISON RONGEURS


40° UPWARDS CUTTING | 15MM CUTTING LENGTH



15mm
cutting length



Description	Width of bite	Working length	Ordering No.
FERRIS SMITH KERRISON rongeur, 40° upwards cutting, 15mm cutting length	Ø 3.0mm	200mm	MC-002-513
	Ø 4.0mm	200mm	MC-002-514
	Ø 5.0mm	200mm	MC-002-515
	Ø 6.0mm	200mm	MC-002-615




15mm
cutting length



Description	Width of bite	Working length	Ordering No.
FERRIS SMITH KERRISON rongeur, 40° upwards cutting, 15mm cutting length, AlTiN coated	Ø 3.0mm	200mm	MC-002-513-C
	Ø 4.0mm	200mm	MC-002-514-C
	Ø 5.0mm	200mm	MC-002-515-C
	Ø 6.0mm	200mm	MC-002-615-C

4.1 | FERRIS SMITH KERRISON RONGEURS


40° UPWARDS CUTTING | SLIM | 15MM CUTTING LENGTH



15mm
cutting length



Description	Width of bite	Working length	Ordering No.
FERRIS SMITH KERRISON rongeur, 40° upwards cutting, slim, 15mm cutting length	Ø 3.0mm	200mm	MC-002-513-S
	Ø 4.0mm	200mm	MC-002-514-S
	Ø 5.0mm	200mm	MC-002-515-S



15mm
cutting length



Description	Width of bite	Working length	Ordering No.
FERRIS SMITH KERRISON rongeur, 40° upwards cutting, slim, 15mm cutting length, AITiN coated	Ø 3.0mm	200mm	MC-002-513-SC
	Ø 4.0mm	200mm	MC-002-514-SC
	Ø 5.0mm	200mm	MC-002-515-SC

4.1 | FERRIS SMITH KERRISON RONGEURS 40° DOWNWARDS CUTTING



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 40° downwards cutting	Ø 1.0mm	200mm	MC-002-078
		Ø 2.0mm	200mm	MC-002-079
		Ø 3.0mm	200mm	MC-002-080
		Ø 4.0mm	200mm	MC-002-081
		Ø 5.0mm	200mm	MC-002-082
		Ø 6.0mm	200mm	MC-002-083



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 40° downwards cutting, AlTiN coated	Ø 1.0mm	200mm	MC-002-078-C
		Ø 2.0mm	200mm	MC-002-079-C
		Ø 3.0mm	200mm	MC-002-080-C
		Ø 4.0mm	200mm	MC-002-081-C
		Ø 5.0mm	200mm	MC-002-082-C
		Ø 6.0mm	200mm	MC-002-083-C

4.1 | FERRIS SMITH KERRISON RONGEURS

40° DOWNWARDS CUTTING | DETACHABLE



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 40° downwards cutting, detachable	Ø 1.0mm	200mm	MC-002-078-T
		Ø 2.0mm	200mm	MC-002-079-T
		Ø 3.0mm	200mm	MC-002-080-T
		Ø 4.0mm	200mm	MC-002-081-T
		Ø 5.0mm	200mm	MC-002-082-T
		Ø 6.0mm	200mm	MC-002-083-T



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 40° downwards cutting, detachable, AlTiN coated	Ø 1.0mm	200mm	MC-002-078-TC
		Ø 2.0mm	200mm	MC-002-079-TC
		Ø 3.0mm	200mm	MC-002-080-TC
		Ø 4.0mm	200mm	MC-002-081-TC
		Ø 5.0mm	200mm	MC-002-082-TC
		Ø 6.0mm	200mm	MC-002-083-TC

4.1 | FERRIS SMITH KERRISON RONGEURS

40° DOWNWARDS CUTTING | WITH EJECTOR



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 40° downwards cutting, with ejector	Ø 2.0mm	200mm	MC-002-079-A
	Ø 3.0mm	200mm	MC-002-080-A
	Ø 4.0mm	200mm	MC-002-081-A
	Ø 5.0mm	200mm	MC-002-082-A
	Ø 6.0mm	200mm	MC-002-083-A



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 40° downwards cutting, with ejector, ALTiN coated	Ø 2.0mm	200mm	MC-002-079-AC
	Ø 3.0mm	200mm	MC-002-080-AC
	Ø 4.0mm	200mm	MC-002-081-AC
	Ø 5.0mm	200mm	MC-002-082-AC
	Ø 6.0mm	200mm	MC-002-083-AC

4.1 | FERRIS SMITH KERRISON RONGEURS

40° DOWNWARDS CUTTING | WITH EJECTOR | DETACHABLE




	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 40° downwards cutting, with ejector, detachable	Ø 2.0mm	200mm	MC-002-079-AT
		Ø 3.0mm	200mm	MC-002-080-AT
		Ø 4.0mm	200mm	MC-002-081-AT
		Ø 5.0mm	200mm	MC-002-082-AT
		Ø 6.0mm	200mm	MC-002-083-AT



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 40° downwards cutting, with ejector, detachable, AlTiN coated	Ø 2.0mm	200mm	MC-002-079-ATC
		Ø 3.0mm	200mm	MC-002-080-ATC
		Ø 4.0mm	200mm	MC-002-081-ATC
		Ø 5.0mm	200mm	MC-002-082-ATC
		Ø 6.0mm	200mm	MC-002-083-ATC

4.2 | FERRIS SMITH KERRISON RONGEURS

90° UPWARDS CUTTING



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 90° upwards cutting	Ø 1.0mm	200mm	MC-002-044
		Ø 2.0mm	200mm	MC-002-045
		Ø 3.0mm	200mm	MC-002-046
		Ø 4.0mm	200mm	MC-002-047
		Ø 5.0mm	200mm	MC-002-048
		Ø 6.0mm	200mm	MC-002-048-1



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 90° upwards cutting, AlTiN coated	Ø 1.0mm	200mm	MC-002-044-C
		Ø 2.0mm	200mm	MC-002-045-C
		Ø 3.0mm	200mm	MC-002-046-C
		Ø 4.0mm	200mm	MC-002-047-C
		Ø 5.0mm	200mm	MC-002-048-C
		Ø 6.0mm	200mm	MC-002-048-1C

4.2 | FERRIS SMITH KERRISON RONGEURS 90° UPWARDS CUTTING | DETACHABLE



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 90° upwards cutting, detachable	Ø 1.0mm	200mm	MC-002-044-T
	Ø 2.0mm	200mm	MC-002-045-T
	Ø 3.0mm	200mm	MC-002-046-T
	Ø 4.0mm	200mm	MC-002-047-T
	Ø 5.0mm	200mm	MC-002-048-T
	Ø 6.0mm	200mm	MC-002-648-T



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 90° upwards cutting, detachable, AlTiN coated	Ø 1.0mm	200mm	MC-002-044-TC
	Ø 2.0mm	200mm	MC-002-045-TC
	Ø 3.0mm	200mm	MC-002-046-TC
	Ø 4.0mm	200mm	MC-002-047-TC
	Ø 5.0mm	200mm	MC-002-048-TC
	Ø 6.0mm	200mm	MC-002-648-TC

4.2 | FERRIS SMITH KERRISON RONGEURS

90° UPWARDS CUTTING | SLIM



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 90° upwards cutting, slim	Ø 1.0mm	200mm	MC-002-044-S
		Ø 2.0mm	200mm	MC-002-045-S
		Ø 3.0mm	200mm	MC-002-046-S
		Ø 4.0mm	200mm	MC-002-047-S
		Ø 5.0mm	200mm	MC-002-048-S
		Ø 6.0mm	200mm	MC-002-648-S



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 90° upwards cutting, slim, AITiN coated	Ø 1.0mm	200mm	MC-002-044-SC
		Ø 2.0mm	200mm	MC-002-045-SC
		Ø 3.0mm	200mm	MC-002-046-SC
		Ø 4.0mm	200mm	MC-002-047-SC
		Ø 5.0mm	200mm	MC-002-048-SC
		Ø 6.0mm	200mm	MC-002-648-SC

4.2 | FERRIS SMITH KERRISON RONGEURS

90° UPWARDS CUTTING | SLIM | DETACHABLE




	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 90° upwards cutting, slim, detachable	Ø 2.0mm	200mm	MC-002-045-TS
		Ø 3.0mm	200mm	MC-002-046-TS
		Ø 4.0mm	200mm	MC-002-047-TS
		Ø 5.0mm	200mm	MC-002-048-TS
		Ø 6.0mm	200mm	MC-002-648-TS




	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 90° upwards cutting, slim, detachable, AlTiN coated	Ø 2.0mm	200mm	MC-002-045-TSC
		Ø 3.0mm	200mm	MC-002-046-TSC
		Ø 4.0mm	200mm	MC-002-047-TSC
		Ø 5.0mm	200mm	MC-002-048-TSC
		Ø 6.0mm	200mm	MC-002-648-TSC

4.2 | FERRIS SMITH KERRISON RONGEURS

90° UPWARDS CUTTING | WITH EJECTOR



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 90° upwards cutting, with ejector	Ø 3.0mm	200mm	MC-002-159
		Ø 4.0mm	200mm	MC-002-160
		Ø 5.0mm	200mm	MC-002-161
		Ø 6.0mm	200mm	MC-002-162



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 90° upwards cutting, with ejector, AlTiN coated	Ø 3.0mm	200mm	MC-002-159-C
		Ø 4.0mm	200mm	MC-002-160-C
		Ø 5.0mm	200mm	MC-002-161-C
		Ø 6.0mm	200mm	MC-002-162-C

4.2 | FERRIS SMITH KERRISON RONGEURS

90° UPWARDS CUTTING | WITH EJECTOR | DETACHABLE




	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 90° upwards cutting, with ejector, detachable	Ø 3.0mm	200mm	MC-002-167-T
		Ø 4.0mm	200mm	MC-002-168-T
		Ø 5.0mm	200mm	MC-002-169-T
		Ø 6.0mm	200mm	MC-002-170-T



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 90° upwards cutting, with ejector, detachable, AlTiN coated	Ø 3.0mm	200mm	MC-002-167-TC
		Ø 4.0mm	200mm	MC-002-168-TC
		Ø 5.0mm	200mm	MC-002-169-TC
		Ø 6.0mm	200mm	MC-002-170-TC

4.2 | FERRIS SMITH KERRISON RONGEURS

90° UPWARDS CUTTING | 15MM CUTTING LENGTH



15mm
cutting length



Description	Width of bite	Working length	Ordering No.
FERRIS SMITH KERRISON rongeur, 90° upwards cutting, 15mm cutting length	Ø 2.0mm	200mm	MC-002-545
	Ø 3.0mm	200mm	MC-002-546
	Ø 4.0mm	200mm	MC-002-547
	Ø 5.0mm	200mm	MC-002-548
	Ø 6.0mm	200mm	MC-002-748



15mm
cutting length



Description	Width of bite	Working length	Ordering No.
FERRIS SMITH KERRISON rongeur, 90° upwards cutting, 15mm cutting length, AlTiN coated	Ø 2.0mm	200mm	MC-002-545-C
	Ø 3.0mm	200mm	MC-002-546-C
	Ø 4.0mm	200mm	MC-002-547-C
	Ø 5.0mm	200mm	MC-002-548-C
	Ø 6.0mm	200mm	MC-002-748-C

4.2 | FERRIS SMITH KERRISON RONGEURS 90° DOWNWARDS CUTTING



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 90° downwards cutting	Ø 1.0mm	200mm	MC-002-062-0
		Ø 2.0mm	200mm	MC-002-062
		Ø 3.0mm	200mm	MC-002-063
		Ø 4.0mm	200mm	MC-002-064
		Ø 5.0mm	200mm	MC-002-065
		Ø 6.0mm	200mm	MC-002-066



	Description	Width of bite	Working length	Ordering No.
	FERRIS SMITH KERRISON rongeur, 90° downwards cutting, AlTiN coated	Ø 1.0mm	200mm	MC-002-062-0C
		Ø 2.0mm	200mm	MC-002-062-C
		Ø 3.0mm	200mm	MC-002-063-C
		Ø 4.0mm	200mm	MC-002-064-C
		Ø 5.0mm	200mm	MC-002-065-C
		Ø 6.0mm	200mm	MC-002-066-C

4.2 | FERRIS SMITH KERRISON RONGEURS

90° DOWNWARDS CUTTING | DETACHABLE



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 90° downwards cutting, detachable	Ø 1.0mm	200mm	MC-002-062-0T
	Ø 2.0mm	200mm	MC-002-062-T
	Ø 3.0mm	200mm	MC-002-063-T
	Ø 4.0mm	200mm	MC-002-064-T
	Ø 5.0mm	200mm	MC-002-065-T
	Ø 6.0mm	200mm	MC-002-066-T



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 90° downwards cutting, detachable, AlTiN coated	Ø 1.0mm	200mm	MC-002-062-0TC
	Ø 2.0mm	200mm	MC-002-062-TC
	Ø 3.0mm	200mm	MC-002-063-TC
	Ø 4.0mm	200mm	MC-002-064-TC
	Ø 5.0mm	200mm	MC-002-065-TC
	Ø 6.0mm	200mm	MC-002-066-TC

4.2 | FERRIS SMITH KERRISON RONGEURS

90° DOWNWARDS CUTTING | WITH EJECTOR



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 90° downwards cutting, with ejector	Ø 3.0mm	200mm	MC-002-063-A
	Ø 4.0mm	200mm	MC-002-064-A
	Ø 5.0mm	200mm	MC-002-065-A
	Ø 6.0mm	200mm	MC-002-066-A



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 90° downwards cutting, with ejector, AlTiN coated	Ø 3.0mm	200mm	MC-002-063-AC
	Ø 4.0mm	200mm	MC-002-064-AC
	Ø 5.0mm	200mm	MC-002-065-AC
	Ø 6.0mm	200mm	MC-002-066-AC

4.2 | FERRIS SMITH KERRISON RONGEURS

90° DOWNWARDS CUTTING | WITH EJECTOR | DETACHABLE



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 90° downwards cutting, detachable, with ejector	Ø 3.0mm	200mm	MC-002-063-AT
	Ø 4.0mm	200mm	MC-002-064-AT
	Ø 5.0mm	200mm	MC-002-065-AT
	Ø 6.0mm	200mm	MC-002-066-AT



Description	Width of bite	Working length	Ordering No.
 FERRIS SMITH KERRISON rongeur, 90° downwards cutting, with ejector, detachable, AlTiN coated	Ø 3.0mm	200mm	MC-002-063-ATC
	Ø 4.0mm	200mm	MC-002-064-ATC
	Ø 5.0mm	200mm	MC-002-065-ATC
	Ø 6.0mm	200mm	MC-002-066-ATC

4.3 KERRISON RONGEURS

1 KERRISON RONGEURS DETACHABLE



2 KERRISON RONGEURS BLACK COATED DETACHABLE



4.3 | KERRISON RONGEURS

KERRISON RONGEURS DETACHABLE | 40° | 90°



Ordering no.	Description
MD-003-200	Handle used for KERRISON rongeurs



Description	Width of bite	Working length	Insert only	Instrument complete
KERRISON rongeur, 40° upwards cutting	Ø 3.5mm	150mm	MD-003-201-T	MD-003-211
	Ø 4.0mm	150mm	MD-003-202-T	MD-003-212
	Ø 5.0mm	150mm	MD-003-205-T	MD-003-215
	Ø 6.0mm	150mm	MD-003-206-T	MD-003-216



Description	Width of bite	Working length	Insert only	Instrument complete
KERRISON rongeur, 90° upwards cutting	Ø 3.5mm	150mm	MD-003-203-T	MD-003-213
	Ø 4.0mm	150mm	MD-003-204-T	MD-003-214
	Ø 5.0mm	150mm	MD-003-207-T	MD-003-217
	Ø 6.0mm	150mm	MD-003-208-T	MD-003-218

4.4 | KERRISON RONGEURS

KERRISON RONGEURS DETACHABLE | BLACK COATED | 40° | 90°



Ordering no.	Description
MD-003-200-T	Handle used for KERRISON rongeurs, black coated



	Description	Width of bite	Working length	Insert only	Instrument complete
	KERRISON rongeur, 40° upwards cutting	Ø 3.5mm	150mm	MD-003-201-TC	MD-003-211-C
		Ø 4.0mm	150mm	MD-003-202-TC	MD-003-212-C
		Ø 5.0mm	150mm	MD-003-205-TC	MD-003-215-C
		Ø 6.0mm	150mm	MD-003-206-TC	MD-003-216-C

	Description	Width of bite	Working length	Insert only	Instrument complete
	KERRISON rongeur, 90° upwards cutting	Ø 3.5mm	150mm	MD-003-203-TC	MD-003-213-C
		Ø 4.0mm	150mm	MD-003-204-TC	MD-003-214-C
		Ø 5.0mm	150mm	MD-003-207-TC	MD-003-217-C
		Ø 6.0mm	150mm	MD-003-208-TC	MD-003-218-C

ARE YOU INTERESTED
IN OUR PRODUCTS?
WE WILL GLADLY
SUBMIT YOU
AN OFFER.

(if available)

Quantity

WWW.STEMA-MEDIZINTECHNIK.DE

5. INDEX

BA-002-021	7	MC-002-015-TSC	32	MC-002-062	48
BA-002-022	7	MC-002-027	33	MC-002-062-0	48
BA-002-041	7	MC-002-027-C	33	MC-002-062-0C	48
BA-002-042	7	MC-002-027-T	34	MC-002-062-0T	49
BB-004-004	9	MC-002-027-TC	34	MC-002-062-0TC	49
BB-004-004-QL	9	MC-002-028	33	MC-002-062-C	48
BB-004-008	12	MC-002-028-C	33	MC-002-062-T	49
BB-004-008-QL	12	MC-002-028-T	34	MC-002-062-TC	49
BB-004-014	10	MC-002-028-TC	34	MC-002-063	48
BB-004-014-QL	10	MC-002-029	33	MC-002-063-A	50
BB-004-017	13	MC-002-029-0	33	MC-002-063-AC	50
BB-004-017-QL	13	MC-002-029-0C	33	MC-002-063-AT	51
BB-005-004	11	MC-002-029-0T	34	MC-002-063-ATC	51
BB-005-008	14	MC-002-029-0TC	34	MC-002-063-C	48
BB-005-014	11	MC-002-029-C	33	MC-002-063-T	49
BB-005-018	14	MC-002-029-T	34	MC-002-063-TC	49
BB-005-024	11	MC-002-029-TC	34	MC-002-064	48
BB-005-028	14	MC-002-044	41	MC-002-064-A	50
MC-002-011	29	MC-002-044-C	41	MC-002-064-AC	50
MC-002-011-C	29	MC-002-044-S	43	MC-002-064-AT	51
MC-002-011-S	31	MC-002-044-SC	43	MC-002-064-ATC	51
MC-002-011-SC	31	MC-002-044-T	42	MC-002-064-C	48
MC-002-011-T	30	MC-002-044-TC	42	MC-002-064-T	49
MC-002-011-TC	30	MC-002-045	41	MC-002-064-TC	49
MC-002-012	29	MC-002-045-C	41	MC-002-065	48
MC-002-012-C	29	MC-002-045-S	43	MC-002-065-A	50
MC-002-012-S	31	MC-002-045-SC	43	MC-002-065-AC	50
MC-002-012-SC	31	MC-002-045-T	42	MC-002-065-AT	51
MC-002-012-T	30	MC-002-045-TC	42	MC-002-065-ATC	51
MC-002-012-TC	30	MC-002-045-TS	44	MC-002-065-C	48
MC-002-012-TS	32	MC-002-045-TSC	44	MC-002-065-T	49
MC-002-012-TSC	32	MC-002-046	41	MC-002-065-TC	49
MC-002-013	29	MC-002-046-C	41	MC-002-066	48
MC-002-013-C	29	MC-002-046-S	43	MC-002-066-A	50
MC-002-013-S	31	MC-002-046-SC	43	MC-002-066-AC	50
MC-002-013-SC	31	MC-002-046-T	42	MC-002-066-AT	51
MC-002-013-T	30	MC-002-046-TC	42	MC-002-066-ATC	51
MC-002-013-TC	30	MC-002-046-TS	44	MC-002-066-C	48
MC-002-013-TS	32	MC-002-046-TSC	44	MC-002-066-T	49
MC-002-013-TSC	32	MC-002-047	41	MC-002-066-TC	49
MC-002-014	29	MC-002-047-C	41	MC-002-078	37
MC-002-014-C	29	MC-002-047-S	43	MC-002-078-C	37
MC-002-014-S	31	MC-002-047-SC	43	MC-002-078-T	38
MC-002-014-SC	31	MC-002-047-T	42	MC-002-078-TC	38
MC-002-014-T	30	MC-002-047-TC	42	MC-002-079	37
MC-002-014-TC	30	MC-002-047-TS	44	MC-002-079-A	39
MC-002-014-TS	32	MC-002-047-TSC	44	MC-002-079-AC	39
MC-002-014-TSC	32	MC-002-048	41	MC-002-079-AT	40
MC-002-015	29	MC-002-048-1	41	MC-002-079-ATC	40
MC-002-015-1	29	MC-002-048-1C	41	MC-002-079-C	37
MC-002-015-1C	29	MC-002-048-C	41	MC-002-079-T	38
MC-002-015-C	29	MC-002-048-S	43	MC-002-079-TC	38
MC-002-015-S	31	MC-002-048-SC	43	MC-002-080	37
MC-002-015-SC	31	MC-002-048-T	42	MC-002-080-A	39
MC-002-015-T	30	MC-002-048-TC	42	MC-002-080-AC	39
MC-002-015-TC	30	MC-002-048-TS	44	MC-002-080-AT	40
MC-002-015-TS	32	MC-002-048-TSC	44	MC-002-080-ATC	40

5. INDEX

MC-002-080-C	37	MC-002-546	47	MD-004-053	20
MC-002-080-T	38	MC-002-546-C	47	MD-004-060	20
MC-002-080-TC	38	MC-002-547	47	MD-004-061	20
MC-002-081	37	MC-002-547-C	47	MD-004-062	20
MC-002-081-A	39	MC-002-548	47	MD-004-063	20
MC-002-081-AC	39	MC-002-548-C	47	MD-004-065	23
MC-002-081-AT	40	MC-002-615	35	MD-004-066	23
MC-002-081-ATC	40	MC-002-615-C	35	MD-004-067	22
MC-002-081-C	37	MC-002-615-S	31	MD-004-068	21
MC-002-081-T	38	MC-002-615-SC	31	MD-004-070	21
MC-002-081-TC	38	MC-002-615-T	30	MD-004-071	21
MC-002-082	37	MC-002-615-TC	30	MD-004-072	21
MC-002-082-A	39	MC-002-615-TS	32	MD-004-073	21
MC-002-082-AC	39	MC-002-615-TSC	32	MD-004-074	21
MC-002-082-AT	40	MC-002-648-S	43	MD-004-075	21
MC-002-082-ATC	40	MC-002-648-SC	43	MD-004-076	21
MC-002-082-C	37	MC-002-648-T	42	MD-004-077	21
MC-002-082-T	38	MC-002-648-TC	42	MD-010-001	22
MC-002-082-TC	38	MC-002-648-TS	44	MH-001-200	18
MC-002-083	37	MC-002-648-TSC	44	MH-001-201	18
MC-002-083-A	39	MC-002-748	47	MH-001-202	18
MC-002-083-AC	39	MC-002-748-C	47	MH-001-203	18
MC-002-083-AT	40	MD-001-200	26	MH-001-204	18
MC-002-083-ATC	40	MD-001-201	26	MH-001-205	18
MC-002-083-C	37	MD-001-202	26	MH-001-220	23
MC-002-083-T	38	MD-001-210	26	MH-002-070	17
MC-002-083-TC	38	MD-001-215	26	MH-002-071	17
MC-002-159	45	MD-001-216	26	MH-002-072	17
MC-002-159-C	45	MD-001-220	26	MH-002-073	17
MC-002-160	45	MD-001-221	26	MH-002-074	17
MC-002-160-C	45	MD-001-222	26	MH-002-075	17
MC-002-161	45	MD-001-223	26		
MC-002-161-C	45	MD-002-230	26		
MC-002-162	45	MD-002-231	26		
MC-002-162-C	45	MD-003-211	53		
MC-002-167-T	46	MD-003-211-C	54		
MC-002-167-TC	46	MD-003-212	53		
MC-002-168-T	46	MD-003-212-C	54		
MC-002-168-TC	46	MD-003-213	53		
MC-002-169-T	46	MD-003-213-C	54		
MC-002-169-TC	46	MD-003-214	53		
MC-002-170-T	46	MD-003-214-C	54		
MC-002-170-TC	46	MD-003-215	53		
MC-002-513	35	MD-003-215-C	54		
MC-002-513-C	35	MD-003-216	53		
MC-002-513-S	36	MD-003-216-C	54		
MC-002-513-SC	36	MD-003-217	53		
MC-002-514	35	MD-003-217-C	54		
MC-002-514-C	35	MD-003-218	53		
MC-002-514-S	36	MD-003-218-C	54		
MC-002-514-SC	36	MD-004-030	19		
MC-002-515	35	MD-004-031	19		
MC-002-515-C	35	MD-004-032	19		
MC-002-515-S	36	MD-004-033	19		
MC-002-515-SC	36	MD-004-050	20		
MC-002-545	47	MD-004-051	20		
MC-002-545-C	47	MD-004-052	20		

WE COVER THE FOLLOWING AREAS IN SURGERY WITH HIGH QUALITY PRODUCTS

ARTHROSCOPY

BRONCHOSCOPY

GASTROENTEROLOGY

GYNAECOLOGY

ENDOSCOPY

ENT

LAMINECTOMY

LAPAROSCOPY

MICROMOTOR SYSTEM

OMS

PROCTOSCOPY

THORACOSCOPY

UROLOGY

SPINE

CONTAINER SYSTEMS

STERILIZATION



STEMA MEDIZINTECHNIK GMBH | TAKE-OFF GEWERBEPARK 74 | 78579 NEUHAUSEN OB ECK
INFO@STEMA-MEDIZINTECHNIK.DE | WWW.STEMA-MEDIZINTECHNIK.DE | +49 7467 79 630-0

10/25 | PRINTED IN GERMANY | COPYRIGHT BY STEMA MEDIZINTECHNIK GMBH |
WE RESERVE THE RIGHT TO MAKE ALTERATIONS